

AutoSPLITTER

Nut Splitters



- **Cuts through the hardest of nuts – quickly & safely**
- **Cuts more nut sizes per models than competitors**
- **Precision, re-sharpenable chisel cuts only the nut**
- **Perform dozens of cuts before chisel needs sharpening**
- **Double Cutting & Angle Head models also available**

AutoSPLITTER can cut through the largest frozen nuts in just seconds, with virtually no risk of injury or accident. It's easy. Simply slip AutoSPLITTER head over the nut and apply hydraulic pressure. One cut frees even the most corroded nut so it can be turned. Or make two cuts, 180 degrees apart, to cleanly cut the nut away.

FAST - To remove a 3-1/2" nut with a torch or hammer and chisel might take up to 20 minutes. But you only need 20-30 seconds with the AutoSPLITTER. Setup is fast as well. AutoSPLITTER goes from the toolbox to use in less than five minutes.


SAFE - No hammers or flame are used. The operator has hands off during operation. No hot work permits are required. AutoSPLITTER cuts smoothly so that there is no danger to the operator or the surrounding equipment.

VERSATILE - AutoSPLITTER cuts through even the hardest nuts, including ASTM A194 2H from 11/16" to 6-1/8" (17 - 156 mm) across the flats. You can use it for both inch and metric sizes, and with virtually any shape nut. Round, Square, 12-point and other special nuts will require the use of an adapter. Competing nut splitters require up to 17 models to cover the same size range the AutoSPLITTER does in 9 models (and even as few as 4 models if the Duo and Trio packages are purchased)!

QUIET - All you'll hear is the hum of the hydraulic pump and a reassuring "snap" when the nut is cut. With AutoSPLITTER, there's no noise pollution or risk of noise-related injury.

PRECISE - You can easily calibrate the cutting chisel so only the nut is cut, with no damage to the bolt or stud threads.

MONEY SAVING - Nut removal takes less time so downtime is reduced. With AutoSPLITTER, you can also avoid costly



damage to bolts, studs and surrounding equipment.


FLEXIBLE - AutoSPLITTER is specially designed, so you can work from more angles and in more applications than with competing models. AutoSPLITTER fits all API and ANSI flanges and virtually all valve bonnets.

DURABLE - AutoSPLITTER is made to last. Our special metallurgy, geometry and hardening process make our chisels good for dozens of cuts before resharpening and many resharpenings before replacing! Because of its unique compound angle chisel design, the AutoSPLITTER even cuts stainless steel nuts! All AutoSPLITTER products come with FASTORQ's No B.S. Lifetime Guarantee!

AutoSPLITTER

Standard Nut Splitter

- Cuts through the hardest of nuts -- quickly & safely
- Cuts more nut sizes per models than competitors
- Precision, re-sharpenable chisel cuts only the nut
- Perform dozens of cuts before chisel needs sharpening
- Double-cutting & Angle Head models also available




Duo/Trio Kits	Model	Stud Diameter inches (metric)	Nut Size ATF inches (mm)	A inches (mm)	B inches (mm)	C inches (mm)	D inches (mm)	E inches (mm)	F inches (mm)	Weight lb. (kg)
AS-DUO25	AS105	5/16 - 7/8 (M8 - M22)	5/8 - 1-7/16 (16 - 36)	1.50 (39)	11.00 (280)	3.97 (101)	0.42 (11)	2.87 (73)	7.48 (190)	20.0 (9.1)
	AS200	7/8 - 1-1/4 (M22 - M33)	1-5/16 - 2 (36 - 55)	1.50 (39)	11.75 (299)	3.97 (101)	0.50 (13)	3.62 (92)	8.00 (203)	21.0 (9.5)
AS-DUO 55	AS204	1-1/4 - 1-1/2 (M33 - M39)	1-7/8 - 2-3/8 (50 - 60)	2.25 (58)	16.10 (409)	5.97 (152)	0.69 (18m)	3.90 (99)	11.48 (292)	61.0 (27.7)
	AS210	1-3/8 - 1-3/4 (M36 - M45)	2-3/16 - 2-3/4 (60 - 75)	2.25 (58)	16.10 (409)	5.97 (152)	0.67 (17)	4.50 (114)	11.38 (289)	62.0 (28.1)
AS-DUO 100	AS308	1-3/4 - 2-1/4 (M45 - M56)	2-5/8 - 3-1/2 (70 - 90)	3.00 (77)	17.75 (451)	7.25 (185)	0.88 (22)	5.75 (146)	17.75 (451)	95.0 (43.1)
	AS314	2 - 2-1/2 (M52 - M64)	3 - 3-7/8 (80 - 100)	3.13 (80)	18.00 (458)	7.25 (185)	0.88 (22)	6.25 (159)	18.00 (457)	100.0 (45.4)
AS-TRIO	AS404	2-1/2 - 2-3/4 (M64 - M72)	3-3/4 - 4-1/4 (95 - 110)	3.75 (96)	22.75 (578)	9.88 (251)	1.13 (29)	7.50 (191)	18.00 (457)	205.0 (93.0)
	AS500	3 - 3-1/4 (M76 - M85)	4-1/2 - 5 (115 - 130)	4.13 (105)	23.00 (585)	9.88 (251)	1.13 (29)	9.00 (2329)	19.525 (495)	210.0 (95.3)
	AS506	3-1/4 - 3-1/2 (M85 - M90)	4-7/8 - 5-3/8 (125 - 135)	4.13 (105)	23.13 (588)	9.88 (251)	1.13 (29)	9.38 (238)	19.50 (495)	215.0 (97.5)
	AS608	3-3/4 - 4 (M95 - M100)	5-5/8 - 6-1/8 (140 - 155)	5.00 (127)	24.00 (610)	12.5 (131)	1.41 (36)	11.72 (298)	22.00 (559)	387.0 (175.5)

AutoSPLITTER

Angle Head Nut Splitter

- Goes where other nut splitters can't fit.
- Fast, safe & tough
- Cuts more nut sizes per models than competing models
- Precision, re-sharpenable chisel cuts only the nut
- Double-cutting & Standard models also available




Duo Kit	Model	Stud Diameter inches (metric)	Nut Size ATF inches (mm)	A inches (mm)	B inches (mm)	C inches (mm)	D inches (mm)	E inches (mm)	F inches (mm)	Weight lb. (kg)
AS-DUO25AH	AS105AH	5/16 - 7/8 (M8 - M22)	5/8 - 1-7/16 (16 - 36)	1.13 (29)	11.00 (280)	3.97 (101)	0.44 (12)	2.87 (73)	7.44 (189)	20.0 (9.1)
	AS200AH	7/8 - 1-1/4 (M22 - M33)	1-5/16 - 2 (36 - 55)	1.38 (35)	11.75 (299)	3.97 (101)	0.50 (13)	3.62 (92)	7.94 (202)	21.0 (9.5)
AS-DUO 55AH	AS204AH	1-1/4 - 1-1/2 (M33 - M39)	1-7/8 - 2-3/8 (50 - 60)	1.75 (45)	16.00 (409)	5.97 (152)	0.69 (18)	3.99 (102)	11.49 (292)	61.0 (27.7)
	AS210AH	1-3/8 - 1-3/4 (M36 - M45)	2-3/16 - 2-3/4 (60 - 75)	2.00 (51)	16.10 (409)	5.97 (152)	0.75 (20)	4.50 (115)	12.07 (307)	62.0 (28.1)
AS-DUO 100AH	AS308AH	1-3/4 - 2-1/4 (M45 - M56)	2-5/8 - 3-1/2 (70 - 90)	2.50 (64)	19.64 (499)	7.25 (185)	0.75 (20)	6.25 (159)	13.25 (337)	95.0 (43.1)
	AS314AH	2 - 2-1/2 (M52 - M64)	3 - 3-7/8 (80 - 100)	2.50 (64)	20.14 (512)	7.25 (185)	0.88 (23)	6.75 (172)	13.75 (450)	100.0 (45.4)

AutoSPLITTER

Double Cutting Nut Splitter with Double-acting Cylinder

- Only double-cutting double-acting model in the world!
- Fast, safe & tough
- Position once & the job is done!
- Fits tight spaces
- Precision, re-sharpenable chisel cuts only the nut
- Straight & Angle Head models also available





Duo/Trio Kits	Model	Stud Diameter inches (metric)	Nut Size ATF inches (mm)	A In. (mm)	B In. (mm)	C In. (mm)	D In. (mm)	E In. (mm)	F In. (mm)	G In. (mm)	H In. (mm)	J In. (mm)	K In. (mm)	Weight lb. (kg.)
ASDU025DCDA	AS105DCDA	5/16 - 3/4 (M8-M20)	11/16 - 1-1/4 (16-36)	1.13 (29)	11.67 (296)	3.38 (86)	0.67 (17)	2.87 (73)	1.35 (34)	7.90 (201)	3.38 (86)	3.97 (101)	0.25 (6)	20 (9)
	AS200DCDA	7/8 - 1-1/8 (M22-M30)	1-7/16 - 1-11/16 (36-41)	1.38 (35)	12.39 (315)	3.38 (86)	0.94 (24)	3.62 (92)	2.00 (51)	8.60 (218)	4.72 (120)	3.97 (101)	0.25 (6)	21 (10)
ASDU055DCDA	AS204DCDA	1-1/4 - 1-3/8 (M33-M36)	1-13/16 - 2-3/16 (46-60)	1.75 (45)	16.4 (417)	5.00 (127)	1.14 (29)	4.48 (114)	2.32 (59)	12.34 (313)	6.68 (170)	5.87 (149)	0.37 (9)	61 (28)
	AS210DCDA	1-3/8 - 1-1/2 (M36-M39)	2-3/16 - 2-3/8 (55-65)	2.00 (51)	16.71 (424)	5.00 (127)	0.97 (25)	4.75 (121)	2.42 (61)	12.61 (320)	6.75 (171)	5.97 (152)	0.42 (11)	62 (28)
ASDU0100DCDA	AS308DCDA	1-3/4 - 2 (M45-M52)	2-5/8 - 3-1/8 (65-90)	2.50 (64)	19.88 (505)	6.25 (159)	1.51 (38)	6.28 (160)	3.14 (80)	14.26 (362)	8.32 (211)	7.25 (184)	0.63 (16)	95 (43)
	AS314DCDA	2 - 2-1/4 (M52-M56)	3 - 3-5/8 (80-90)	2.75 (70)	20.69 (526)	6.25 (159)	1.75 (44)	6.75 (171)	3.71 (94)	14.97 (380)	8.32 (211)	7.38 (187)	0.71 (18)	100 (45)
	AS404DCDA	2-3/4 - 3-1/4 (M72-M85)	3-3/4 - 4-1/4 (95-110)	3.73 (95)	21.44 (545)	8.50 (216)	2.09 (53)	7.75 (197)	4.30 (109)	15.74 (400)	14.36 (365)	9.44 (240)	0.54 (14)	206 (94)

AutoSPLITTER

Rail Nut Splitter

- Cuts through the hardest nuts quickly & safely
- Double Cutting Nut Splitter® saves time and effort
- Designed to fit in the rail web
- Resharpenable advancing chisel
- Cuts square and hex nuts from 1-1/16" to 1-5/8" ATF



Fast

AutoSPLITTER can cut through the largest frozen nuts in just seconds, with virtually no risk of injury or accident. It's easy. Simply slip AutoSPLITTER head over the nut and apply hydraulic pressure. One action makes two cuts, 180 degrees apart, to cleanly cut the nut away.

Safe

No hammers or flame are used. The operator has hands off during operation. AutoSPLITTER cuts smoothly so that there is no danger to the operator or the surrounding equipment.

Specifications

- AutoSPLITTER Model Number: AS105AHDCSN (Complete unit in toolbox with 1 set of chisels)
- Advancing Spare Chisel Part Number: A94057
- Stationary Spare Chisel Part Number: A2K646
- Battery Powered Hydraulic Pump: PUA10K011 (Includes hose, battery & charger)
- Maximum Operating Pressure: 10,000 psi.
- Dimensions:

A = 1.27"	F = 1.65"
B = 12.39"	G = 8.54"
C = 3.38"	H = 4.78"
D = 0.89"	J = 3.97"
E = 2.88"	K = 0.25"